

#### **Accessibility Directorate of Ontario**

## 2017 Accessibility compliance report

#### Instructions

All information you provide is subject to the *Freedom of Information and Protection of Privacy Act*.

Fields marked with an asterisk (\*) are mandatory.

A. Organizani	on information							
Organization category *				Number of employees range *		Reporting year		
Business / non-profit				50+ employees		2017		
Business detai	ls		<u>'</u>					
Organization lega	I name *				Number of	f employees in Ontario * Help		
SEW-Eurodriv	e Company of Ca	nada Ltd./So	ociete SEW-Eu	rodrive Du Cana	da 100			
Business number	(BN9) * Help							
104809033								
_	ating/business name is	s same as lega	al name		1			
Organization operating/business name					Language preference for communications *			
	e Company of Ca					English		
	escribes your organiz	ation's principa	al business activity	/ <b>*</b>	<u>Help</u>			
31-33 - Manuf								
Subsector (if poss	sible)			Industry group (if po	ssible)			
Mailing address Address where le	tters can be sent to th	e person respo	onsible for coordin	ating the organization	n's AODA com	noliance activities.		
	) Canada		) USA	_	nternational			
			•					
Type of address *	Street addre		) Street address s	erved by route () C	Other			
Unit number	Street number *	Street name *	•					
	210	Walker						
Street type	Street direction		City *			Province *		
Drive	NW (Northwest)		Brampton			ON (Ontario)		
Postal code *								
L6T 3W1								
Business addres	-	the common will	dina ataw/affi a a wa a a	aarintahla faritha ara		randianaa wiith tha AODA		
<u> </u>	rietters can be sent to less address is same			countable for the orga	anization's con	mpliance with the AODA.)		
		as mailing add		<u> </u>				
Country *	) Canada		) USA	() li	nternational			
Type of address *	Street addre	ss	) Street address s	erved by route O	ther			
Unit number	Street number * 210	Street name * Walker	f					
Stroot type	Street direction	vvainci	City *		Т	Dravinga *		
Street type Drive	NW (Northwest)	<b>.</b>	City * Brampton			Province * ON (Ontario)		
	invv (inortiiwest		Біапіріоп					
Postal code * L6T 3W1								

Use the "Add new organization" button to add additional organizations to which this accessibility report is to be applied (maximum 20). Note: All organizations must have the same organization category, number of employees range, compliance answers and certifier, and have different business numbers, in order to file under the same form.

009-0057E (2017/03)[V2.0] Page 1 of 7



#### **Accessibility Directorate of Ontario**

## 2017 Accessibility compliance report

Organization category Business / non-profit	Number of employees range 50+
Filing organization legal name SEW-Eurodrive Company of Canada Ltd./Societe	SEW-E
Filing organization business number (BN9) 104809033	
Fields marked with an asterisk (*) are mandatory.	
B. Understand your accessibility requirements	
Before you begin your report, you can learn about your accessibility requirements at onta	rio.ca/accessibility
Additional accessibility requirements apply if you are:  • a municipality	
• an education institution (e.g. school board, college, university or school)	
<ul> <li>a producer of education material (e.g. textbooks)</li> </ul>	
• a library board	
C. Accessibility compliance report questions	
Please answer each of the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following section of the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. Use the Comments box if you wish to describe the following compliance questions. It is a supplied to describe the following compliance questions and the following compliance questions. It is a supplied to describe the following compliance questions are described to describe the following compliance	ow. Use the link on the left to view the rces.
during the recruitment process? *	
Read O. Reg. 191/11 s.22 - 24: Recruitment	more about your requirements for question 1
Comments for question 1	
2. Does your organization provide employees with updated information about its policies to support employees with disabilities? *	Yes No
Read O. Reg. 191/11 s.25: Informing employees of supports  Learn I	more about your requirements for question 2
Comments for question 2	
3. When requested, does your organization provide employees with disabilities information in an action format or with communication supports? *	ccessible
Read O. Reg. 191/11 s.26: Accessible formats and communication supports for employees Learn I	more about your requirements for question 3
Comments for question 3	

009-0057E (2017/03)[V2.0] Page 2 of 7

I. Does your organization prepare individualized workplace emergency response information for employees with disabilities? *			○ No
Read O. Reg. 191/11 s.27: Workplace emergency response information	Learn more about yo	our requirements	for question 4
Comments for question 4			
Make new or redeveloped public spaces accessible  5. Since January 1, 2017, has your organization constructed new or redeveloped existin that you intend to maintain? *  (if Yes, you will be required to answer additional questions)	ng recreational trails	○ Yes	No
Read O. Reg. 191/11 Part IV.1: Design of Public Spaces Standards - Definitions	Learn more about yo	our requirements	for question 5
5.a. Did your organization consult with the public and persons with disabilities prior or redeveloping existing recreational trails as outlined in the s.80(8) of the Integ Standards Regulation (IASR)? *		○ Yes	○ No
Read O. Reg. 191/11 s.80(8): Consultation, recreational trails	Learn more about you	r requirements fo	or question 5.a
Comments for question 5.a			
5.b. Does your organization ensure that its new or redeveloped recreational trails m requirements as outlined s.80(9) of the IASR? *	eet the technical	○ Yes	○ No
Read O. Reg. 191/11 s.80(9): Technical requirements for trails	Learn more about you	r requirements fo	or question 5.b
Comments for question 5.b			
6. Since January 1, 2017, has your organization constructed new or redeveloped existir routes that you intend to maintain? *  (if Yes, you will be required to answer additional questions)  Read O. Reg. 191/11 Part IV.1: Design of Public Spaces Standards - Definitions		○ Yes	No
	Learn more about yo		_
6.a. Does your organization ensure that its new or redeveloped beach access route requirements as outlined in IASR s.80(10)? *	s meet the technical	( ) Yes	○ No
Read O. Reg. 191/11 s.80(10): Technical requirements for beach access routes	Learn more about you	r requirements fo	or question 6.a
Comments for question 6.a			
7. Do your new or redeveloped recreational trail and/or beach access routes include bo (if Yes, you will be required to answer additional questions)	ardwalks? *	○ Yes	○ No
7.a. Where new or redeveloped recreational trails and/or beach access routes have the boardwalk meet the technical requirements as outlined in s.80(12) of the IA		○ Yes	○ No
Read O. Reg. 191/11 s.80(12): Boardwalks	Learn more about you	r requirements fo	or question 7.a
Comments for question 7.a			

009-0057E (2017/03)[V2.0] Page 3 of 7

<ol> <li>Do your new or redeveloped recreational trails and/or beach access routes include ramps? *     (if Yes, you will be required to answer additional questions)</li> </ol>		○ No
Read O. Reg. 191/11 s.80(13): Ramps  Learn more about you	ur requirements	for question 8
8.a. Where new or redeveloped recreational trails and/or beach access routes have a ramp, does the ramp meet the technical requirements as outlined in s.80(13) of the IASR? *	○ Yes	○ No
Read O. Reg. 191/11 s.80(13): Ramps  Learn more about your	requirements fo	or question 8.a
Comments for question 8.a		
9. Since January 1, 2017, has your organization constructed new or redeveloped existing outdoor public use eating areas that you intend to maintain? *  (if Yes, you will be required to answer additional questions)	○ Yes	<ul><li>No</li></ul>
Read O. Reg. 191/11 s.80(17): Outdoor public use eating areas, general requirements  Learn more about you	ur requirements	for question 9
9.a. Does your organization ensure that where they construct or redevelop outdoor public use eating areas that they meet the requirements as outlined in s.80(17) of the IASR? *	○ Yes	○ No
Read O. Reg. 191/11 s.80(17): Outdoor public use eating areas, general requirements Learn more about your	r requirements for	or question 9.a
Comments for question 9.a		
10. Since January 1, 2017, has your organization constructed new or redeveloped existing outdoor play spaces that you intend to maintain? * (if Yes, you will be required to answer additional questions)	○ Yes	No
10.a. When constructing new or redeveloping existing outdoor play spaces, did your organization consult with the public and persons with disabilities on the needs of children and caregivers as outlined in s.80(19) of the IASR? *	○ Yes	○ No
Read O. Reg. 191/11 s.80(19): Outdoor play spaces, consultation requirements  Learn more about your	requirements for	question 10.a
Comments for question 10.a		
10.b. Did your organization incorporate accessibility features when constructing a new or redeveloping an existing play space as outlined in s.80(20a) of the IASR? *	○ Yes	○ No
Read O. Reg. 191/11 s.80(20a): Outdoor play spaces, accessibility in design  Learn more about your in	requirements for	question 10.b
Comments for question 10.b		
10.c. Does your organization's new or redeveloped play spaces have a firm ground surface as outlined in s.80(20b) of the IASR? *	○ Yes	○ No
Read O. Reg. 191/11 s.80(20b): Outdoor play spaces, accessibility in design  Learn more about your	requirements for	question 10.c
Comments for question 10.c		
11. Since January 1, 2017, has your organization constructed new or redeveloped existing exterior paths of travel that you intend to maintain? *  (if Yes, you will be required to answer additional questions)	○ Yes	No
11.a. Where applicable, do your newly constructed or redeveloped exterior paths of travel meet the technical and general requirements as outlined in s.80(21) – 80(31) of the IASR? *	○ Yes	○ No
Read O. Reg. 191/11 s. 80(21) - 80(31): Exterior Paths of Travel  Learn more about your	requirements for	question 11.a
Comments for question 11.a		

009-0057E (2017/03)[V2.0] Page 4 of 7

12. Since January 1, 2017, has your organization constructed new or redeveloped existing off-street parking facilities that you intend to maintain? * (if Yes, you will be required to answer additional questions)	○ Yes	<ul><li>No</li></ul>
12.a. When constructing new or redeveloping off-street parking facilities that you intend to maintain, do you ensure that the off-street parking facilities meet the accessibility requirements as outlined in s.80(32) – 80(37) of the IASR? *	Yes	○ No
Read O. Reg. 191/11 s.80(32) - 80(37): Accessible Parking  Learn more about you	r requirements for	question 12.a
Comments for question 12.a		
13. Since January 1, 2017, has your organization constructed a new or replaced an existing service counter? *  (if Yes, you will be required to answer additional questions)	○ Yes	<ul><li>No</li></ul>
13.a. Does your organization ensure that new or redeveloped service counters meet the technical requirements as outlined in s.80(41) of the IASR? *	○ Yes	○ No
Read O. Reg. 191/11 s. 80(41): Service counters  Learn more about you	r requirements for	question 13.a
Comments for question 13.a		
14. Since January 1, 2017, has your organization constructed new fixed queuing guides? * (if Yes, you will be required to answer additional questions)	○ Yes	<ul><li>No</li></ul>
14.a. Does your organization ensure that new fixed queuing guides for obtaining services meet the technical requirements as outlined in s.80(42) of the IASR? *	○ Yes	○ No
Read O. Reg. 191/11 s.80(42): Fixed queuing guides  Learn more about you	r requirements for	question 14.a
Read O. Reg. 191/11 s.80(42): Fixed queuing guides  Comments for question 14.a	r requirements for	question 14.a
Comments for	r requirements for	• question 14.a
Comments for question 14.a  15.Since January 1, 2017, has your organization constructed new or redeveloped existing waiting areas? *		
Comments for question 14.a  15.Since January 1, 2017, has your organization constructed new or redeveloped existing waiting areas? *  (if Yes, you will be required to answer additional questions)  15.a. Does your organization ensure that new or developed fixed seating waiting areas meet the		No    No
Comments for question 14.a  15.Since January 1, 2017, has your organization constructed new or redeveloped existing waiting areas? *  (if Yes, you will be required to answer additional questions)  15.a. Does your organization ensure that new or developed fixed seating waiting areas meet the technical requirements as outlined in s.80(43) of the IASR? *		No    No
Comments for question 14.a  15.Since January 1, 2017, has your organization constructed new or redeveloped existing waiting areas? *  (if Yes, you will be required to answer additional questions)  15.a. Does your organization ensure that new or developed fixed seating waiting areas meet the technical requirements as outlined in s.80(43) of the IASR? *  Read O. Reg. 191/11 s.80(43): Waiting areas  Comments for question 15.a  16. Does your organization's public spaces have accessible elements in place as required under the Design of Public Spaces Standard of the IASR? *		No    No
Comments for question 14.a  15.Since January 1, 2017, has your organization constructed new or redeveloped existing waiting areas? *  (if Yes, you will be required to answer additional questions)  15.a. Does your organization ensure that new or developed fixed seating waiting areas meet the technical requirements as outlined in s.80(43) of the IASR? *  Read O. Reg. 191/11 s.80(43): Waiting areas  Comments for question 15.a  16. Does your organization's public spaces have accessible elements in place as required under the Design of Public Spaces Standard of the IASR? *  (if Yes, you will be required to answer additional questions)		No No question 15.a
Comments for question 14.a  15.Since January 1, 2017, has your organization constructed new or redeveloped existing waiting areas? *  (if Yes, you will be required to answer additional questions)  15.a. Does your organization ensure that new or developed fixed seating waiting areas meet the technical requirements as outlined in s.80(43) of the IASR? *  Read O. Reg. 191/11 s.80(43): Waiting areas  Comments for question 15.a  16. Does your organization's public spaces have accessible elements in place as required under the Design of Public Spaces Standard of the IASR? *  (if Yes, you will be required to answer additional questions)		No No question 15.a
Comments for question 14.a  15.Since January 1, 2017, has your organization constructed new or redeveloped existing waiting areas? *  (if Yes, you will be required to answer additional questions)  15.a. Does your organization ensure that new or developed fixed seating waiting areas meet the technical requirements as outlined in s.80(43) of the IASR? *  Read O. Reg. 191/11 s.80(43): Waiting areas  Comments for question 15.a  16. Does your organization's public spaces have accessible elements in place as required under the Design of Public Spaces Standard of the IASR? *  (if Yes, you will be required to answer additional questions)  Read O. Reg. 191/11 Part IV. 1: Design of public spaces standards  Learn more about you 16.a. Does your organization's multi-year accessibility plan include procedures for preventative and emergency maintenance of the accessible elements in public spaces, and for dealing with temporary disruptions when accessible elements are not in working order as outlined in s.80(44) of	Yes Yes  Yes  Yes  Yes  Yes  Yes  Yes	No

009-0057E (2017/03)[V2.0] Page 5 of 7

17. Other than the requirements cited in the above questions, is your organization complying with all other requirements in effect under the Integrated Accessibility Standards Regulation? \*

Yes (

○ No

Read O. Reg. 191/11: Integrated Accessibility Standards

Learn more about your requirements for question 17

Comments for question 17

009-0057E (2017/03)[V2.0] Page 6 of 7



## **Accessibility Directorate of Ontario**

# 2017 Accessibility compliance report

Organization category Busin	Number of employees range 50+				
Filing organization legal nam	e SEW-Eurodrive Con	npany	of Canada Ltd./Societe	SEW-E	
Filing organization business	number (BN9) 104809	9033			
Fields marked with an asterisk (*	are mandatory.				
D. Accessibility compliance	e report summary				
Your responses to the questions	on your accessibility repo	ort indic	ate that your organization	is in complian	ce with AODA standards.
Your organization may be audited	I to verify compliance.				
E. Accessibility compliance	report certification				
Section 15 of the <i>Accessibility for O</i> the required information has been p					
Note: It is an offence under the Act	to provide false or misleadir	ng inforn	nation in an accessibility repo	ort filed under th	ne AODA.
The certifier may designate a prima main contact.	ry contact for the Accessibili	ity Direc	torate to contact the organiza	ation(s); otherw	ise the certifier will be the
Certifier: Someone who can legally	bind the organization(s).				
Primary Contact: The person who	will be the main contact for	accessit	pility issues.		
Acknowledgement					
✓ I certify that I have the authority	to bind all organizations sp	ecified ir	Section A of this form, *		
✓ I certify that all the required info	rmation has been included i	n this re	port, and, *		
✓ I certify that the information in the	is report is accurate. *				
Certification date (yyyy-mm-dd) *	2017-12-10				
Certifier information					
Last name * Gallop			First name * Audrey		
Position title *	Business phone number *		nsion	TY	
Controller	905 791-0553	241	1		
Email * a.gallop@sew-eurodrive.ca			Alternate phone number	Extension	Fax number
Primary contact for the organizat	ion(s)				
Check if the primary contact is s	ame as the certifier				
Last name *			First name * Kevin		
Long Position title *	Pusings phone number *	Exter	1.	T) (	
Other	Business phone number * 905 791-1553	415	Sion Check here if T	ΙΥ	
Email * k.long@sew-eurodrive.ca			Alternate phone number	Extension	Fax number
			1	1	-

009-0057E (2017/03)[V2.0] Page 7 of 7